

**Core Analyte Results****Data File:** core_ep_fu_pub **File Date:** 07/01/2005 **Structure:** Multiple rows per participant **Population:** Subsample of E+P participants**Participant ID**

Variable # 1 **Usage Notes:** none
Sas Name: ID **Categories:** Study: Administration
Sas Label: Participant ID
Type: Continuous

Core Analyte Days since randomization/enrollment

Number of days from randomization/enrollment to date of blood draw.

Variable # 2 **Usage Notes:** none
Sas Name: COREDAYS **Categories:** Study: Administration
Sas Label: Core Days since randomization/enrollment
Type: Continuous

Core Analyte Visit type

Variable # 3 **Usage Notes:** none
Sas Name: COREVTYP **Categories:** Study: Administration
Sas Label: Visit Type
Type: Categorical

Values

| | |
|---|-------------------|
| 1 | Screening Visit |
| 2 | Semi-Annual Visit |
| 3 | Annual Visit |
| 4 | Non-Routine Visit |

Core Analyte Visit number

Number of the visit when the draw used for core analytes was collected.

Variable # 4 **Usage Notes:** none
Sas Name: COREVNUM **Categories:** Study: Administration
Sas Label: Core Analyte Visit number
Type: Continuous

Core Analyte Draw time

Time blood was drawn in military time. Format HH24:MI (e.g. 13:20). Descriptive statistics (min, max, mean, sd) are presented as "minutes past midnight".

Variable # 5 **Usage Notes:** none
Sas Name: DRAWTIME **Categories:** Clinical Tests: Blood
Sas Label: Draw time
Type: Continuous

**Core Analyte Results****Data File:** core_ep_fu_pub **File Date:** 07/01/2005 **Structure:** Multiple rows per participant **Population:** Subsample of E+P participants

Core Analyte Centrifuge time

Time that centrifuging of blood began in military time. Format HH24:MI (e.g. 13:20). Descriptive statistics (min, max, mean, sd) are presented as "minutes past midnight".

| | | | |
|-------------------|-----------------|---------------------|-----------------------|
| Variable # | 6 | Usage Notes: | none |
| Sas Name: | CFUGTIME | Categories: | Clinical Tests: Blood |
| Sas Label: | Centrifuge time | | |
| Type: | Continuous | | |

Core Analyte Cryovial time

Time blood placed into cryovials in military time. Format HH24:MI (e.g. 13:20). Descriptive statistics (min, max, mean, sd) are presented as "minutes past midnight".

| | | | |
|-------------------|---------------|---------------------|-----------------------|
| Variable # | 7 | Usage Notes: | none |
| Sas Name: | VIALTIME | Categories: | Clinical Tests: Blood |
| Sas Label: | Cryovial time | | |
| Type: | Continuous | | |

Core Analyte Freeze time

Time cryovials placed in freezer in military time. Format HH24:MI (e.g. 13:20). Descriptive statistics (min, max, mean, sd) are presented as "minutes past midnight".

| | | | |
|-------------------|-------------|---------------------|-----------------------|
| Variable # | 8 | Usage Notes: | none |
| Sas Name: | FREZTIME | Categories: | Clinical Tests: Blood |
| Sas Label: | Freeze time | | |
| Type: | Continuous | | |

Core Analyte Fasting hours

Number of hours since had anything to eat or drink besides water before blood draw.

| | | | |
|-------------------|---------------|---------------------|-----------------------|
| Variable # | 9 | Usage Notes: | none |
| Sas Name: | FASTHRS | Categories: | Clinical Tests: Blood |
| Sas Label: | Fasting hours | | |
| Type: | Continuous | | |

Core Analyte Vigorous activity in last 8 hours

Engaged in vigorous physical activity in last eight hours before blood draw.

| | | | |
|-------------------|-----------------------------------|---------------------|-----------------------|
| Variable # | 10 | Usage Notes: | none |
| Sas Name: | VIGACT | Categories: | Clinical Tests: Blood |
| Sas Label: | Vigorous activity in last 8 hours | | |
| Type: | Categorical | | |

Values

| | |
|---|-----|
| 0 | No |
| 1 | Yes |

**Core Analyte Results****Data File:** core_ep_fu_pub **File Date:** 07/01/2005 **Structure:** Multiple rows per participant **Population:** Subsample of E+P participants

Core Analyte Anti-inflammatory use in last 48 hrs

Took aspirin or anti-inflammatory agents in last 48 hours before blood draw.

Variable # 11**Usage Notes:** none**Sas Name:** ANTIINFL**Sas Label:** Anti-inflammatory use in last 48 hours**Categories:** Clinical Tests: Blood**Type:** Categorical**Values**

| | |
|---|-----|
| 0 | No |
| 1 | Yes |

Core Analyte Serum is lipemic

For HRT and HRT + DM screening visit and annual visits. Serum is lipemic.

Variable # 12**Usage Notes:** none**Sas Name:** LIPEMIC**Sas Label:** Serum is lipemic**Categories:** Clinical Tests: Blood**Type:** Categorical**Values**

| | |
|---|-----|
| 0 | No |
| 1 | Yes |

Core Analyte Alpha-Carotene (ug/ml)**Variable #** 13**Usage Notes:** none**Sas Name:** COREACAR**Sas Label:** Core Alpha-Carotene (ug/ml)**Categories:** Clinical Tests: Blood**Type:** Continuous

Core Analyte Alpha-Tocopherol (ug/ml)**Variable #** 14**Usage Notes:** none**Sas Name:** COREATOC**Sas Label:** Core Alpha-Tocopherol (ug/ml)**Categories:** Clinical Tests: Blood**Type:** Continuous

Core Analyte Beta-Carotene (ug/ml)**Variable #** 15**Usage Notes:** none**Sas Name:** COREBCAR**Sas Label:** Core Beta-Carotene (ug/ml)**Categories:** Clinical Tests: Blood**Type:** Continuous

Core Analyte Beta-Cryptoxanthine (ug/ml)**Variable #** 16**Usage Notes:** none**Sas Name:** COREBCXA**Sas Label:** Core Beta-Cryptoxanthine (ug/ml)**Categories:** Clinical Tests: Blood**Type:** Continuous

**Core Analyte Results****Data File:** core_ep_fu_pub **File Date:** 07/01/2005 **Structure:** Multiple rows per participant **Population:** Subsample of E+P participants

Core Analyte Factor VII Antigen, activity (%)**Variable #** 17**Usage Notes:** none**Sas Name:** COREF7AG**Sas Label:** Core Factor VII Antigen, activity (%)**Categories:** Clinical Tests: Blood**Type:** Continuous

Core Analyte Factor VII concentration (%)**Variable #** 18**Usage Notes:** none**Sas Name:** COREF7C**Sas Label:** Core Factor VII concentration (%)**Categories:** Clinical Tests: Blood**Type:** Continuous

Core Analyte Fibrinogen (mg/dl)**Variable #** 19**Usage Notes:** none**Sas Name:** COREFIBR**Sas Label:** Core Fibrinogen (mg/dl)**Categories:** Clinical Tests: Blood**Type:** Continuous

Core Analyte Glucose (Mg/dl)**Variable #** 20**Usage Notes:** none**Sas Name:** COREGLUC**Sas Label:** Core Glucose (Mg/dl)**Categories:** Clinical Tests: Blood**Type:** Continuous

Core Analyte Gamma-Tocopherol (ug/ml)**Variable #** 21**Usage Notes:** none**Sas Name:** COREGTOC**Sas Label:** Core Gamma-Tocopherol (ug/ml)**Categories:** Clinical Tests: Blood**Type:** Continuous

Core Analyte High-Density Lipoprotein-2 (Mg/dl)**Variable #** 22**Usage Notes:** none**Sas Name:** COREHDL2**Sas Label:** Core High-Density Lipoprotein-2 (Mg/dl)**Categories:** Clinical Tests: Blood**Type:** Continuous

Core Analyte High-Density Lipoprotein-3 (Mg/dl)**Variable #** 23**Usage Notes:** none**Sas Name:** COREHDL3**Sas Label:** Core High-Density Lipoprotein-3 (Mg/dl)**Categories:** Clinical Tests: Blood**Type:** Continuous

**Core Analyte Results****Data File:** core_ep_fu_pub **File Date:** 07/01/2005 **Structure:** Multiple rows per participant **Population:** Subsample of E+P participants

Core Analyte High-Density Lipoprotein Chol (Mg/dl)

High-Density Lipoprotein Cholesterol

Variable # 24**Usage Notes:** none**Sas Name:** COREHDL**Categories:** Clinical Tests: Blood**Sas Label:** Core HDL Cholesterol (Mg/dl)**Type:** Continuous

Core Analyte Insulin (uIU/ml) (process A)**Variable #** 25**Usage Notes:** The insulin test for the core analytes changed. The majority of insulin results come from the same process (A). Later results, however, come from a different process (B). Therefore, insulin results are split into two separate variables, dependent on the process used, A or B. Results from these two processes are not comparable.**Sas Name:** COREINSU**Categories:** Clinical Tests: Blood**Sas Label:** Core Insulin (uIU/ml) (process A)**Type:** Continuous

Core Analyte Insulin (uIU/ml) (process B)**Variable #** 26**Usage Notes:** The insulin test for the core analytes changed. The majority of insulin results come from the same process (A). Later results, however, come from a different process (B). Therefore, insulin results are split into two separate variables, dependent on the process used, A or B. Results from these two processes are not comparable.**Sas Name:** COREINSU2**Categories:** Clinical Tests: Blood**Sas Label:** Core Insulin (uIU/ml) (process B)**Type:** Continuous

Core Analyte Low-Density Lipoprotein Chol (Mg/dl)

Low-Density Lipoprotein Cholesterol

Variable # 27**Usage Notes:** none**Sas Name:** CORELDL**Categories:** Clinical Tests: Blood**Sas Label:** Core LDL Cholesterol (Mg/dl)**Type:** Continuous

Core Analyte Apolipoprotein(a) (Mg/dl)**Variable #** 28**Usage Notes:** none**Sas Name:** CORELPA**Categories:** Clinical Tests: Blood**Sas Label:** Core Apolipoprotein(a) (Mg/dl)**Type:** Continuous

Core Analyte Lycopene (ug/ml)**Variable #** 29**Usage Notes:** none**Sas Name:** CORELYCP**Categories:** Clinical Tests: Blood**Sas Label:** Core Lycopene (ug/ml)**Type:** Continuous

**Core Analyte Results****Data File:** core_ep_fu_pub **File Date:** 07/01/2005 **Structure:** Multiple rows per participant **Population:** Subsample of E+P participants

Core Analyte Lutein and Zeaxanthin (ug/ml)**Variable #** 30**Usage Notes:** none**Sas Name:** CORELZXA**Categories:** Clinical Tests: Blood**Sas Label:** Core Lutein and Zeaxanthin (ug/ml)**Type:** Continuous

Core Analyte Retinol (ug/ml)**Variable #** 31**Usage Notes:** none**Sas Name:** CORERETI**Categories:** Clinical Tests: Blood**Sas Label:** Core Retinol (ug/ml)**Type:** Continuous

Core Analyte Total Cholesterol (Mg/dl)**Variable #** 32**Usage Notes:** none**Sas Name:** CORETCHO**Categories:** Clinical Tests: Blood**Sas Label:** Core Total Cholesterol (Mg/dl)**Type:** Continuous

Core Analyte Triglyceride (Mg/dl)**Variable #** 33**Usage Notes:** none**Sas Name:** CORETRI**Categories:** Clinical Tests: Blood**Sas Label:** Core Triglyceride (Mg/dl)**Type:** Continuous
